CASIO

Introducing Revoluntionary New

Hospitality Business Terminals

V-R7000/V-R7100

Built on the Android Platform

casio.co.uk/EPoS

Key Features

V-R7000 / V-R7100

Stylish design

The slim and sophisticated design will fit well with retail interior scheme.

Cloud Suite software

Provides managers and back of house staff with vital information about the running of the business e.g. sales data, stock reports, customer information.

Easy to operate

Simple to use 15.6 inch widescreen LCD touch panel, enabling staff to work quickly and effectively.



Robust

Super reliability supports daily 24/7 front of house operation. IP53 rating for water and dust resistance means the touch panel screen can be operated even with wet hands.

Reliability

A quick return to operation after power interruptions means you're always ready to go.

Bars

Fast service in a bar can mean the difference between making a profit or not. The Casio EPoS system's easy-to-use-interface means your staff will be able to quickly search for and register items. Customers will see the benefits too, as they are served efficiently and accurately. Large groups can create tabs, making for smooth payment at the end of the session. Another great feature is the automatic prompt for food orders to require a table identifier. This helps make sure your waiting staff and customers are happy, as the food gets to the right place at the right time – simple but effective.

Restaurants

Casio's EPoS solution has an automated table plan, which can open automatically when you sign on. This innovative system shows you instantly whether the table is occupied. There is also instant production of the bill, avoiding a long wait when the customers are ready to leave. This efficiency keeps both the staff and more importantly the customer satisfied. Seamless kitchen/customer communication is available with prompts for things such as how a customer wants their steak cooked. Easy-to-use, clever features like these can help to give your restaurant the edge.

Fast Food & Coffee Outlets

Speed and accuracy are vital for management, staff and most important of all, the customer. Casio's upselling prompt system and speedier order processing mean that those profit targets are a little closer. Making sure the customers get what they order is easy, as straightforward item selection and on-screen updates mean that orders can be read back to make sure they are correct. Eating in or Taking Out? Simple to select options mean that complicated tax transactions are easy as a tap on the screen. Fast, efficient service with a clear bill featuring the right items at the right tax rate – that's sure to keep everyone coming back for more.

V-R7000 and V-R7100 EPoS solutions deliver real business advantage. They provide a scalable system that delivers fast, efficient front of house service and integrates seamlessly with the back office and stock management systems. Discover how Casio can benefit you and your business.

Front

Rear



Side

Options/Accessories

iDraught ready

Cash drawer

Medium: DL-2815 (compulsory)
400 (W) x 398 (D) x 113 (H) mm

Remote printer (thermal)

UP-370B: RS-232C port compatible
UP-400B: RS-232C/LAN port compatible
194 (W) x 145 (D) x 124 (H) mm

Customer display

Backlit 3-line LCD customer display
194 (W) x 120 (D) x 166 (H) mm

Expansion interface box

The expansion interface box is equipped with 3 COM ports, 2 drawer ports, 2 USB (host) ports and 1 DC jack. Useful for connecting terminals with peripheral devices.

Magnetic card reader unit

Reads ISO Track 2 / JIS II cards

Specifications

Model	V-R7000 / V-R7100		
Software	Platform	Android™ 4.2	
CPU	OMAP5432 1.5GHz		
Memory	RAM	2GB	
	Flash ROM	16GB	
Display	Type	15.6-inch widescreen touch panel (1366x768 pixels) TFT colour liquid crystal display	
	Backlight	White LED	
Terminal interfaces	Side of display	SD/SDHC memory card slot	1
		USB (host) port	1
		Earphone jack	1
		Magnetic card reader unit connector	1
	Rear of display	COM port	3
		Drawer port	2
		LAN port	1
		SD/SDHC memory card slot	1
		USB (host port)	3
		Micro-USB (client) port	1
		HDMI port	1
		DC jack	1
Expansion interface box (options)	VA-B2-EB	COM port	3
		Drawer port	2
		USB (host) port	2
		DC jack	1
Memory protection	Battery	Lithium ion rechargeable battery	
	Memory retention	Approx. 24 hours (new battery, fully charged, 25°C operating temperature)	
	Battery life	5 years (25°C operating temperature)	
	Charging time	Full charge in 3 hours (25°C operating temperature)	
Wireless LAN (V-R7100 only)	Standard	IEEE 802.11 a/b/g/n	
Bluetooth® (V-R7100 only)	Supported version	Bluetooth® standard Ver 2.0+EDR	
Power supply	1.20 V ac +/- 10 V 50/60 Hz 0.5 A 2.30 V ac +/- 10 V 50/60 Hz 0.3 A 2.20 V to 240 V ac +/- 10 V 50/60 Hz 0.3 A		
Power consumption	During operation: Approx. 22W / In standby mode: Approx: 18W		
External dimensions (W x D x H)	400 x 300 x 335mm 400 x 45 x 250mm (display only)		
Weight	Approx. 7.0kg Approx. 3.5kg (display only)		